ELSEVIER

Hearing Research 148 (2000) 221–222

HEARING RESEARCH

www.elsevier.com/locate/heares

Author Index Volume 148

Alagramam, K.N., Zahorsky-Reeves, J., Wright, C.G., Pawlowski, K.S., Erway, L.C., Stubbs, L. and Woychik, R.P.
Neuroepithelial defects of the inner ear in a new allele of the mouse mutation Ames waltzer (148) 181
Alcántara, J.I., Moore, B.C.J. and Vickers, D.A.
The relative role of beats and combination tones in determining the shapes of masking patterns at 2 kHz: I. Normal-hearing listeners (148) 63
Arolt, V., see Engelien, A. (148) 153
Avallone, B., see Balsamo, G. (148) 1

Balsamo, G., Avallone, B., Del Genio, F., Trapani, S. and Marmo, F.
Calcification processes in the chick otoconia and calcium binding proteins: patterns of tetracycline incorporation and calbindin-D28K distribution (148) 1
Bauer, E.E., see Klug, A. (148) 107
Billings, P.B., see Keithley, E.M. (148) 192
Bonaiuto, G., see Parham, K. (148) 137
Bonnet, P., see Loquet, G. (148) 173
Briaire, J.J. and Frijns, J.H.M.
Field patterns in a 3D tapered spiral model of the electrically stimulated cochlea (148) 18
Bross, L.S., see Parham, K. (148) 137
Burger, R.M., see Klug, A. (148) 107

Campo, P., see Loquet, G. (148) 173
Carlson, S., see Parham, K. (148) 137
Chandronait, B., see Keithley, E.M. (148) 192
Cossec, B., see Loquet, G. (148) 173

D'Angelo, W.R., see Parham, K. (148) 137
Del Genio, F., see Balsamo, G. (148) 1
Dolan, D.F., see Ota, Y. (148) 124

Emmerich, E., Richter, F., Reinhold, U., Linss, V. and Linss, W.
Effects of industrial noise exposure on distortion product otoacoustic emissions (DPOAEs) and hair cell loss of the cochlea – long term experiments in awake guinea pigs (148) 9
Engelien, A., Schulz, M., Ross, B., Arolt, V. and Pantev, C.
A combined functional in vivo measure for primary and secondary auditory cortices (148) 153
Erway, L.C., see Alagramam, K.N. (148) 181

F. Ludueña, R., see Hallworth, R. (148) 161
Fox, A., see Parham, K. (148) 137
Frijns, J.H.M., see Briaire, J.J. (148) 18

Goverts, S.T., Houtgast, T. and van Beek, H.H.M.
The precedence effect for lateralization at low sensation levels (148) 88
Grothe, B., see Klug, A. (148) 107

Hallworth, R. and F. Ludueña, R.
Differential expression of β tubulin isotypes in the adult gerbil cochlea (148) 161
Halvorsen, M.B., see Klug, A. (148) 107
Hao, L.F. and Khanna, S.M.
Mechanical nonlinearity in the apical turn of the guinea pig organ of Corti (148) 31
Hao, L.F. and Khanna, S.M.
Vibrations of the guinea pig organ of Corti in the apical turn (148) 47
Houtgast, T., see Goverts, S.T. (148) 88
Hurley, L.M., see Klug, A. (148) 107

Jedlinska, U., see Sliwinska-Kowalska, M. (148) 197

Keithley, E.M., Truong, T., Chandronait, B. and Billings, P.B.
Immunohistochemistry and microwave decalcification of human temporal bones (148) 192
Khan, A., see Klug, A. (148) 107
Khanna, S.M., see Hao, L.F. (148) 31
Khanna, S.M., see Hao, L.F. (148) 47
Kim, D.O., see Parham, K. (148) 137
Klug, A., Khan, A., Burger, R.M., Bauer, E.E., Hurley, L.M., Yang, L., Grothe, B., Halvorsen, M.B. and Park, T.J.
Latency as a function of intensity in auditory neurons: influences of central processing (148) 107

Lataye, R., see Loquet, G. (148) 173
Liberman, M.C., see Yoshida, N. (148) 213
Linss, V., see Emmerich, E. (148) 9
Linss, W., see Emmerich, E. (148) 9
Loquet, G., Campo, P., Lataye, R., Cossec, B. and Bonnet, P.
Combined effects of exposure to styrene and ethanol on the auditory function in the rat (148) 173

Marmo, F., see Balsamo, G. (148) 1
May, B.J.
Role of the dorsal cochlear nucleus in the sound localization behavior of cats (148) 74
Moore, B.C.J., see Alcántara, J.I. (148) 63

Ota, Y. and Dolan, D.F.
The effects of efferent activation on the acoustically and electrically evoked otoacoustic emission (148) 124

Pantev, C., see Engelien, A. (148) 153
Parham, K., Bonaiuto, G., Carlson, S., Turner, J.G., D'Angelo, W.R., Bross, L.S., Fox, A., Willott, J.F. and Kim, D.O.
Purkinje cell degeneration and control mice: responses of single units in the dorsal cochlear nucleus and the acoustic startle response (148) 137
Park, T.J., see Klug, A. (148) 107
Pawlowski, K.S., see Alagramam, K.N. (148) 181
Probst, R., see Yoshikawa, H. (148) 95

Rajkowska, E., see Sliwinska-Kowalska, M. (148) 197
Reinhold, U., see Emmerich, E. (148) 9
Richter, F., see Emmerich, E. (148) 9
Ross, B., see Engelien, A. (148) 153

PII: S0378-5955(00)00178-7

Rzadzinska, A., see Sliwinska-Kowalska, M. (148) 197

Schulz, M., see Engelien, A. (148) 153
Sliwinska-Kowalska, M., Rzadzinska, A., Jedlinska, U. and Rajkowska, E.
Hair cell regeneration in the chick basilar papilla after exposure to wide-band noise: evidence for ganglion cell involvement (148) 197
Smurzynski, J., see Yoshikawa, H. (148) 95
Stubbs, L., see Alagramam, K.N. (148) 181

Trapani, S., see Balsamo, G. (148) 1
Truong, T., see Keithley, E.M. (148) 192
Turner, J.G., see Parham, K. (148) 137

van Beek, H.H.M., see Goverts, S.T. (148) 88
Vickers, D.A., see Alcántara, J.I. (148) 63

Willott, J.F., see Parham, K. (148) 137
Woychik, R.P., see Alagramam, K.N. (148) 181
Wright, C.G., see Alagramam, K.N. (148) 181

Yang, L., see Klug, A. (148) 107
Yoshida, N. and Liberman, M.C.
Sound conditioning reduces noise-induced permanent threshold shift in mice (148) 213
Yoshikawa, H., Smurzynski, J. and Probst, R.
Suppression of tone burst evoked otoacoustic emissions in relation to frequency separation (148) 95

Zahorsky-Reeves, J., see Alagramam, K.N. (148) 181

ELSEVIER

Hearing Research 148 (2000) 223–225

HEARING RESEARCH

www.elsevier.com/locate/heares

Subject Index Volume 148

Acoustic startle response
Dorsal cochlear nucleus; Purkinje cell degeneration (Parham, K. (148) 137)

Acoustic trauma
Sound conditioning; Noise-induced hearing loss; Protection (Yoshida, N. (148) 213)

Ames waltzer
Inner ear; Mouse mutant (Alagramam, K.N. (148) 181)

Apical turn
Cochlea; Vibration; Nonlinearity; Guinea pig (Hao, L.F. (148) 31)

Auditory cortex
Auditory evoked field; Central auditory deficit; Steady-state response; Magnetoencephalography (Engelien, A. (148) 153)

Auditory evoked field
Central auditory deficit; Steady-state response; Auditory cortex; Magnetoencephalography (Engelien, A. (148) 153)

Auditory nerve
Cochlear implant; Electrical volume conduction; Preferential current pathway; Potential field (Briaire, J.J. (148) 18)

Auditory neuron
Peripherin; Cochlea; Neurofilament (Keithley, E.M. (148) 192)

Auditory neurons
Latency; Central processing; Central auditory system (Klug, A. (148) 107)

Auditory perception
Precedence effect; Localization dominance; Binaural hearing; Lateralization accuracy; Normal hearing (Goverts, S.T. (148) 88)

β tubulin isotype
Organ of Corti; Hair cell; Pillar cell; Deiters cell; Multi-tubulin hypothesis (Hallworth, R. (148) 161)

Beat
Masking pattern; Combination tone (Alcántara, J.I. (148) 63)

Binaural hearing
Precedence effect; Localization dominance; Auditory perception; Lateralization accuracy; Normal hearing (Goverts, S.T. (148) 88)

Calbindin
Otoconia; Inner ear; Tetracycline; Chick embryo; Chick (Balsamo, G. (148) 1)

Central auditory deficit
Auditory evoked field; Steady-state response; Auditory cortex; Magnetoencephalography (Engelien, A. (148) 153)

Central auditory system
Latency; Auditory neurons; Central processing (Klug, A. (148) 107)

Central processing
Latency; Auditory neurons; Central auditory system (Klug, A. (148) 107)

Chick
Otoconia; Inner ear; Tetracycline; Calbindin; Chick embryo (Balsamo, G. (148) 1)

Regeneration; Hair cell; Ganglion cell; Wide-band noise (Sliwinska-Kowalska, M. (148) 197)

Chick embryo
Otoconia; Inner ear; Tetracycline; Calbindin; Chick (Balsamo, G. (148) 1)

Claudius' cell
Guinea pig; Cochlear mechanics; Reissner's membrane; Reticular lamina; Osseus spiral lamina (Hao, L.F. (148) 47)

Cochlea
Otoacoustic emissions; Olivocochlear system; Guinea pig (Ota, Y. (148) 124)

Auditory neuron; Peripherin; Neurofilament (Keithley, E.M. (148) 192)

Apical turn; Vibration; Nonlinearity; Guinea pig (Hao, L.F. (148) 31)

Cochlear implant
Electrical volume conduction; Preferential current pathway; Potential field; Auditory nerve (Briaire, J.J. (148) 18)

Cochlear mechanic
Suppression; Frequency superposition; Transiently evoked otoacoustic emission (Yoshikawa, H. (148) 95)

Cochlear mechanics
Guinea pig; Reissner's membrane; Reticular lamina; Claudius' cell; Osseus spiral lamina (Hao, L.F. (148) 47)

Cochlear microphonics
Distortion product otoacoustic emission; Outer hair cell; Continuous noise exposure; Scanning electron microscopy; Hearing loss; Guinea pig (Emmerich, E. (148) 9)

PII: S0378-5955(00)00179-9

Combination tone
Masking pattern; Beat (Alcántara, J.I. (148) 63)

Continuous noise exposure
Distortion product otoacoustic emission; Outer hair cell; Cochlear microphonics; Scanning electron microscopy; Hearing loss; Guinea pig (Emmerich, E. (148) 9)

Deiters cell
β tubulin isotype; Organ of Corti; Hair cell; Pillar cell; Multi-tubulin hypothesis (Hallworth, R. (148) 161)

Distortion product otoacoustic emission
Outer hair cell; Continuous noise exposure; Cochlear microphonics; Scanning electron microscopy; Hearing loss; Guinea pig (Emmerich, E. (148) 9)

Dorsal cochlear nucleus
Acoustic startle response; Purkinje cell degeneration (Parham, K. (148) 137)

Sound localization; Orientation behavior; Spatial acuity (May, B.J. (148) 74)

Electrical volume conduction
Cochlear implant; Preferential current pathway; Potential field; Auditory nerve (Briaire, J.J. (148) 18)

Ethanol
Styrene; Ototoxicity; Potentiation; Rat (Loquet, G. (148) 173)

Frequency superposition
Suppression; Cochlear mechanic; Transiently evoked otoacoustic emission (Yoshikawa, H. (148) 95)

Ganglion cell
Regeneration; Hair cell; Wide-band noise; Chick (Sliwinska-Kowalska, M. (148) 197)

Guinea pig
Otoacoustic emissions; Olivocochlear system; Cochlea (Ota, Y. (148) 124)

Cochlea; Apical turn; Vibration; Nonlinearity (Hao, L.F. (148) 31)

Cochlear mechanics; Reissner's membrane; Reticular lamina; Claudius' cell; Osseus spiral lamina (Hao, L.F. (148) 47)

Distortion product otoacoustic emission; Outer hair cell; Continuous noise exposure; Cochlear microphonics; Scanning electron microscopy; Hearing loss (Emmerich, E. (148) 9)

Hair cell
β tubulin isotype; Organ of Corti; Pillar cell; Deiters cell; Multi-tubulin hypothesis (Hallworth, R. (148) 161)

Regeneration; Ganglion cell; Wide-band noise; Chick (Sliwinska-Kowalska, M. (148) 197)

Hearing loss
Distortion product otoacoustic emission; Outer hair cell; Continuous noise exposure; Cochlear microphonics; Scanning electron microscopy; Guinea pig (Emmerich, E. (148) 9)

Inner ear
Otoconia; Tetracycline; Calbindin; Chick embryo; Chick (Balsamo, G. (148) 1)

Mouse mutant; Ames waltzer (Alagramam, K.N. (148) 181)

Latency
Auditory neurons; Central processing; Central auditory system (Klug, A. (148) 107)

Lateralization accuracy
Precedence effect; Localization dominance; Binaural hearing; Auditory perception; Normal hearing (Goverts, S.T. (148) 88)

Localization dominance
Precedence effect; Binaural hearing; Auditory perception; Lateralization accuracy; Normal hearing (Goverts, S.T. (148) 88)

Magnetoencephalography
Auditory evoked field; Central auditory deficit; Steady-state response; Auditory cortex (Engelien, A. (148) 153)

Masking pattern
Beat; Combination tone (Alcántara, J.I. (148) 63)

Mouse mutant
Inner ear; Ames waltzer (Alagramam, K.N. (148) 181)

Multi-tubulin hypothesis
β tubulin isotype; Organ of Corti; Hair cell; Pillar cell; Deiters cell (Hallworth, R. (148) 161)

Neurofilament
Auditory neuron; Peripherin; Cochlea (Keithley, E.M. (148) 192)

Noise-induced hearing loss
Sound conditioning; Acoustic trauma; Protection (Yoshida, N. (148) 213)

Nonlinearity
Cochlea; Apical turn; Vibration; Guinea pig (Hao, L.F. (148) 31)

Normal hearing
Precedence effect; Localization dominance; Binaural hearing; Auditory perception; Lateralization accuracy (Goverts, S.T. (148) 88)

Olivocochlear system
Otoacoustic emissions; Guinea pig; Cochlea (Ota, Y. (148) 124)

Organ of Corti
β tubulin isotype; Hair cell; Pillar cell; Deiters cell; Multi-tubulin hypothesis (Hallworth, R. (148) 161)

Orientation behavior
Dorsal cochlear nucleus; Sound localization; Spatial acuity (May, B.J. (148) 74)

Osseus spiral lamina
Guinea pig; Cochlear mechanics; Reissner's membrane; Reticular lamina; Claudius' cell (Hao, L.F. (148) 47)

Otoacoustic emissions
Olivocochlear system; Guinea pig; Cochlea (Ota, Y. (148) 124)

Otoconia
Inner ear; Tetracycline; Calbindin; Chick embryo; Chick (Balsamo, G. (148) 1)

Ototoxicity
Styrene; Ethanol; Potentiation; Rat (Loquet, G. (148) 173)

Outer hair cell
Distortion product otoacoustic emission; Continuous noise exposure; Cochlear microphonics; Scanning electron microscopy; Hearing loss; Guinea pig (Emmerich, E. (148) 9)

Peripherin
Auditory neuron; Cochlea; Neurofilament (Keithley, E.M. (148) 192)

Pillar cell
β tubulin isotype; Organ of Corti; Hair cell; Deiters cell; Multi-tubulin hypothesis (Hallworth, R. (148) 161)

Potential field
Cochlear implant; Electrical volume conduction; Preferential current pathway; Auditory nerve (Briaire, J.J. (148) 18)

Potentiation
Styrene; Ethanol; Ototoxicity; Rat (Loquet, G. (148) 173)

Precedence effect
Localization dominance; Binaural hearing; Auditory perception; Lateralization accuracy; Normal hearing (Goverts, S.T. (148) 88)

Preferential current pathway
Cochlear implant; Electrical volume conduction; Potential field; Auditory nerve (Briaire, J.J. (148) 18)

Protection
Sound conditioning; Acoustic trauma; Noise-induced hearing loss (Yoshida, N. (148) 213)

Purkinje cell degeneration
Acoustic startle response; Dorsal cochlear nucleus (Parham, K. (148) 137)

Rat
Styrene; Ethanol; Ototoxicity; Potentiation (Loquet, G. (148) 173)

Regeneration
Hair cell; Ganglion cell; Wide-band noise; Chick (Sliwinska-Kowalska, M. (148) 197)

Reissner's membrane
Guinea pig; Cochlear mechanics; Reticular lamina; Claudius' cell; Osseus spiral lamina (Hao, L.F. (148) 47)

Reticular lamina
Guinea pig; Cochlear mechanics; Reissner's membrane; Claudius' cell; Osseus spiral lamina (Hao, L.F. (148) 47)

Scanning electron microscopy
Distortion product otoacoustic emission; Outer hair cell; Continuous noise exposure; Cochlear microphonics; Hearing loss; Guinea pig (Emmerich, E. (148) 9)

Sound conditioning
Acoustic trauma; Noise-induced hearing loss; Protection (Yoshida, N. (148) 213)

Sound localization
Dorsal cochlear nucleus; Orientation behavior; Spatial acuity (May, B.J. (148) 74)

Spatial acuity
Dorsal cochlear nucleus; Sound localization; Orientation behavior (May, B.J. (148) 74)

Steady-state response
Auditory evoked field; Central auditory deficit; Auditory cortex; Magnetoencephalography (Engelien, A. (148) 153)

Styrene
Ethanol; Ototoxicity; Potentiation; Rat (Loquet, G. (148) 173)

Suppression
Frequency superposition; Cochlear mechanic; Transiently evoked otoacoustic emission (Yoshikawa, H. (148) 95)

Tetracycline
Otoconia; Inner ear; Calbindin; Chick embryo; Chick (Balsamo, G. (148) 1)

Transiently evoked otoacoustic emission
Suppression; Frequency superposition; Cochlear mechanic (Yoshikawa, H. (148) 95)

Vibration
Cochlea; Apical turn; Nonlinearity; Guinea pig (Hao, L.F. (148) 31)

Wide-band noise
Regeneration; Hair cell; Ganglion cell; Chick (Sliwinska-Kowalska, M. (148) 197)